

# Safety Data Sheet

## ELEMENT ETCHANT GEL

### Section 1 – Identification

**Product Name:** Element Etchant Gels 37% Phosphoric Acid (Blue or Green)     
 **Manufacturer:** Elite Dental Products, Inc.  
 10408 W State Road 84, Ste 103  
 Davie, FL 33328

**Active Ingredient:** Phosphoric Acid     
 **Information Contacts:** (954) 368-5966  
**Emergency Phone Numbers:** US & Canada 1 (954) 368-5966

**Family:** Etching Gels  
**Product Use:** Professional Dental Etching Gel  
**Product #:** Various

### Section 2 – Hazards Identification

#### EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- **Corrosive! – H314**
- Causes tissue destruction, permanent damage to the cornea, blindness.
- Mists may cause lung irritation, shortness of breath.
- Ingestion may cause nausea, vomiting, diarrhea, burns to the mouth, chest pain, seizures, shortness of breath, or even death.
- Please read entire MSDS for additional information.



#### Potential Health Effects, Signs and Symptoms of Exposure:

**Primary Route of Entry**      Inhalation, skin, and ingestion.

**Eye**      Corrosive. May cause redness, pain, blurred vision, eye burns, and permanent eye damage.

**Skin**      Corrosive. May cause redness, pain, and severe skin burns.

**Ingestion**      Corrosive. May cause sore throat, abdominal pain, nausea, and severe burns of the mouth, throat, and stomach.

**Inhalation**      Inhalation is not an expected hazard unless mist is heated to high temperatures. Mist or vapor inhalation can cause irritation to the nose, throat, and upper respiratory tract. Severe exposures can lead to a chemical pneumonitis.

NOTE: Refer to Section 11, Toxicological Information for Details

### Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Phosphoric Acid	7664-38-2	231-633-2	Phosphoric Acid	TWA = 1 mg/ m <sup>3</sup>	TWA = 1 mg/ m <sup>3</sup> STEL = 3 mg/ m <sup>3</sup>	Not listed	32-44

N/E – None Established      N/DA – No Data Available

N/R – Not Reviewed      N/A – Not Applicable

May contain the following:      FD&C Blue, D&C Violet #2,

(items in parenthesis relate to 1999/45/EC)

**Phosphoric Acid:** Danger Symbol – GHS05 (C)      Hazard Statement – H314 (R34)      Precautionary Statement – P102 (S1/2), P305+334  
 (S26), P309+314 (S45)

See Section 16 for Hazard and Precautionary Statement Key.

### Section 4 – First Aid Measures

**First Aid for Eye**      Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek immediate medical attention. If it is necessary to transport the patient to a physician and the eye needs to be a bandaged, use a dry sterile cloth pad and cover both eyes.

**First Aid for Skin**      Immediately wipe excess material from skin with a dry cloth; then wash skin with plenty of soap and water for at least 15 minutes. Seek medical attention. Remove contaminated clothing and shoes while washing.

**First Aid for Ingestion**      If victim is conscious and alert, give 2-3 glasses of water to drink and do not induce vomiting. Seek

# Safety Data Sheet

## ELEMENT ETCHANT GEL

immediate medical attention. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. Vomiting may occur spontaneously.

**First Aid for Inhalation** Remove victim from immediate source of exposure and assure that the victim is still breathing. If breathing is difficult, administer oxygen if available. If victim is not breathing, administer CPR. Seek medical help.

### Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

**Method:**

**Extinguishing Media:** Not combustible. Use extinguishing method suitable for surrounding fire.

**Fire Fighting Instructions:** Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing. Keep unnecessary people away, isolate hazard area and deny entry. Evacuate residents who are downwind of fire. Dike area to prevent runoff and contamination of water sources.

**Unusual Hazards:** Evacuate all personnel.

### Section 6 – Accidental Release Measures

**Spill or Release Procedures** Minor spills – Clean up immediately, avoid contact with skin and eyes. Mop / wipe area and clean with soapy water. Dike or retain dilution water for disposal.

Major spills – Clear area of personnel. Restrict access to area. Avoid contact with skin and eyes, and dilute area with soapy water. Collect contaminated water and dispose of properly. Dike or retain dilution water for disposal. Large spills should be handled according to a predetermined plan.

See section 8 & section 12.

### Section 7 – Handling and Storage

**Handling** Limit all unnecessary personal contact. Avoid breathing vapors. Wear appropriate PPE. Do not get into eyes or on skin. Avoid breathing vapors and mists. This product reacts with bases liberating heat and causing spattering.

**Storage** Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when not in use. Keep in original container provided by manufacturer.

**Explosion Hazard** None.

### Section 8 – Exposure Controls / Personal Protection

**Engineering Controls** General exhaust is adequate under normal operating conditions; however local exhaust ventilation at the point of generation is preferred. Personal hygiene is an important work exposure control measure.

**Personal Protective Equipment**

**General** To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product.

**Eye/ Face Protection** Safety glasses / goggles or splash shields are required when handling. Ensure eye bath is on hand.

**Skin Protection** Use impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole-body suit.

**Respiratory Protection** In case of insufficient ventilation, wear suitable respiratory equipment.

### Section 9 – Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	% Volatile		
Gel	Odor of Stated Flavor	N/A	(H2O = 1): N/A	N/A	N/A		
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/DA	N/DA	N/A	N/A	N/A	N/A	N/A

# Safety Data Sheet

## ELEMENT ETCHANT GEL

<b>Flash Point (°F/°C)</b>	<b>Flammable Limit (vol%)</b>	<b>Auto-ignition Temperature (vol%)</b>
N/A	N/A	N/A

### Section 10 – Stability and Reactivity

<b>Stability:</b> Stable under normal conditions	<b>Incompatibility (Materials to Avoid):</b> Bases, metals, strong oxidizing or reducing agents
<b>Hazardous Decomposition Products:</b> Oxides of Phosphorus	<b>Hazardous Polymerization:</b> Will not occur
<b>Conditions to Avoid:</b> Heat and incompatible materials	

### Section 11 – Toxicological Information

<b>Acute Oral Toxicity</b>	<b>Acute Dermal Toxicity</b>	<b>Acute Inhalation Toxicity</b>	<b>Irritation – skin</b>	<b>Irritation – Eye</b>
N/DA	N/DA	N/DA	N/DA	N/DA

<b>Sensitization</b>	<b>Mutagenicity</b>	<b>Sub-chronic Toxicity</b>
N/DA	N/DA	N/DA

### Section 12 – Ecological Information

#### Ecotoxicological Information

<b>Acute Toxicity to Fish</b>	<b>Acute Toxicity to Invertebrates</b>	<b>Acute Toxicity to Algae</b>	<b>Bioconcentration</b>	<b>Toxicity to Sewage Bacteria</b>
N/DA	N/DA	N/DA	N/DA	N/DA

#### Chemical Fate Information

<b>Biodegradability</b>	N/DA. This material is not expected to significantly bio-accumulate.
<b>Chemical Oxygen Demand</b>	N/DA

### Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

### Section 14 – Transport Information

<b>DOT (49 CFR 172)</b>	
Proper Shipping Name:	UN1805, Phosphoric Acid Solution, 8, III
Identification Number:	UN1805
Marine Pollutant:	No
Special Provisions:	A7, IB3, N34, T4, TP1
<b>Emergency Response Guidebook (ERG) #:</b>	<b>154</b>
<b>IATA (DGR):</b>	
Proper Shipping Name:	UN1805, Phosphoric Acid Solution, 8, III
Class or Division:	8
UN or ID Number:	UN1805
Packaging Instructions:	III
<b>Emergency Response Guidance (ICAO)#:</b>	
<b>IMO (IMDG):</b>	
Proper Shipping Name:	UN1805, Phosphoric Acid Solution, 8, III
Class or Division:	8
UN or ID Number:	UN1805
Special Provisions & Stowage/Segregation:	N/A
<b>Emergency Schedule (EmS)#:</b>	<b>N/A</b>

# Safety Data Sheet

## ELEMENT ETCHANT GEL

Other Information:	This product can qualify as a consumer commodity (limited quantity exception)
--------------------	---

### Section 15 – Regulatory Information

#### US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS: <ul style="list-style-type: none"> <li>NONE</li> </ul>
Clean Water Act: Priority Pollutant	This product contains the following chemicals listed under the U. S. Clean Water Act Priority Pollutant and Hazardous Substance List: <ul style="list-style-type: none"> <li>None</li> </ul>
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSHA Hazard Communication Standard. Its hazards are: <ul style="list-style-type: none"> <li>Phosphoric Acid CAS # 7664-38-2 (Corrosive)</li> </ul>
RCRA	This product contains the following chemicals considered to be hazardous waste under RCRA (40 CFR 261). <ul style="list-style-type: none"> <li>None</li> </ul>
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA Title III: Section 302 (TPQ)	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List): <ul style="list-style-type: none"> <li>Phosphoric Acid CAS #7664-38-2 (Corrosive) – RQ 5000#</li> </ul>
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> <li>Phosphoric Acid CAS #7664-38-2 (Corrosive)</li> </ul>
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: <ul style="list-style-type: none"> <li>None</li> </ul>
TSCA Section 8(b): Inventory: TSCA Significant New Use Rule:	This product does contain chemicals listed on the TSCA inventory or otherwise complies with TSCA pre-manufacture notification requirements. <ul style="list-style-type: none"> <li>Phosphoric Acid CAS #7664-38-2</li> </ul> None of the chemicals in this material have a SNUR under TSCA.



#### State Regulations

CA Right-to-Know Law: California No Significant Risk Rule:	None None
MA Right-to-Know Law:	Phosphoric Acid CAS # 7664-38-2
NJ Right-to-Know Law:	Phosphoric Acid CAS # 7664-38-2
PA Right-to-Know Law:	Phosphoric Acid CAS # 7664-38-2
FL Right-to-Know Law:	None
MN Right-to-Know Law:	Phosphoric Acid CAS # 7664-38-2

#### International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	Phosphoric Acid CAS # 7664-38-2
---	---------------------------------

#### Labeling according to EC directives – 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:   	<b>For Element Etchant Gel (finished product):</b> <ul style="list-style-type: none"> <li>DANGER SYMBOLS: <b>GHS05 (C) – Corrosive</b></li> <li>HAZARD STATEMENT: <b>H314 (R34)</b>, Causes severe skin burns and eye damage.</li> <li>PRECAUTIONARY STATEMENT: <b>P102 (S2)</b>, Keep out of reach of children. <b>P210 (S15)</b>, Keep away from heat/sparks/open flames/hot surfaces. <b>P260 (S23)</b>, Do not breathe dust/fume/gas/mist/vapors/spray. <b>P280 (S36/37/39)</b>, Wear protective gloves/clothing/eye protection/face protection. <b>P309+314 (S45)</b>, If exposed or you</li> </ul>
--	--

